

ALUSCAFF

ALUMINUM SCAFFOLD SUPPLY

SCAFF 800/1400 MOBILE SCAFFOLD DGUV Certificat No: BAU15050 DIN EN 1004



BUY OR RENT FROM:

ALU-SCAFF Sàrl. 13 ROUTE DE KAYL. L-3385 NOERTZANGE.
T 00352/621/140/897 | F 00352/265/139/71 | @ schares@cem.lu

A SAFE WORKPLACE






As a professional in scaffolding we are convinced that Mobile Scaffold has to be as secured as the traditional Frame Scaffold. That's the reason why our Mobile Scaffold « SCAFF 800 / 1400 » has been certified by one of the most renomated institutions. So you will have the security of knowing that you are working in a safe place, even at great heights.

The benefits of our Mobile Scaffold « SCAFF 800 / 1400 » such as the easy handling as well as the quick assembly will seduce you, these conveniences are especially due to our fast locking claw.

The different working heights can be easily reached and adapted by adding aluminum frame ladders in differents heights.



Thanks to the different possible widths of 0,80 meters or 1,40 meters, all kind of professional sectors can be served with our Mobile Scaffold 800/1400.




EXPIERENCE AND COMPOSITION

All craftsmen and specialists know and recognize the advantages of an easy conception and fast handling in a minimum of time.

Our Mobile Scaffold « SCAFF 800 / 1400 » will guarantee you all these different advantages.

Even more, as the scaffold length will be the same either for SCAFF 800 or SCAFF 1400, all length components such as guard-rails, toeboards, working platforms could be used on both kind of Mobile Scaffold models, that means :

- Less different elements for working with both widths of Mobile Scaffold.
- Leight weight elements and easy handling during assembly/disassembly.
- Slip-on connections for quick assembly.
- Flexibility of changing working/platform heights.
- Possibility to be used for many special structures such as stair towers, ..
- Certified working security by applying and respecting actual high standards.



ASSEMBLING INSTRUCTIONS SCAFF 800/1400



TECHNICAL DETAILS SCAFF 800

Working Height	3.50m à 14.70m
Platform Height	1.50m à 12.70m
Area of working platform	0.80m x 2.60m
Permissable live load	200 kg/m ²
Classification and Standard	Scaffold class 3 /DIN 4422

PRICELIST SCAFF 800

Working Height	Weight (kg)	No. Article	Price
3.50m	74.00 kg	002844H	1182.70-€
4.50m	118.00 kg	002845H	1611.30-€
5.50m	177.00 kg	002846H	1939.50-€
6.70m	187,00 kg	002847H	2397.50-€
7.70m	203.00 kg	002848H	3040.30-€
8.70m	239.00 kg	002849H	3205.30-€
9.70m	262.00 kg	002850H	3533.50-€
10.70m	279.00 kg	002851H	4109.50-€
11.70m	288,00 kg	002852H	4752.30-€
12.70m	298.00 kg	002853H	4917.30-€
13.70m	340.00 kg	002854H	5245.50-€
14.70m	350,00 kg	002855H	5410.50-€

COMPOSITION DU SCAFF 800

No. Article	Work. height	farme 1.00m	farme 2,00m	Clip	Plat. With hatch	Toeboard 2,60m	Toeboard 0.80m	Guard-rail 2.60m	Diag. 3.10m	Diag-H 2.7	Steel base	Tele. arm	Swivel castor
002844H	3.50m		2		1			4	2	1			4
002845H	4.50m	2	2	4	1	2	2	6	2	1			4
002846H	5.50m		4	4	1	2	2	8	4	1			4
002847H	6.70m	2	4	12	1	2	2	8	4	1	2		4
002848H	7.70m		6	12	2	2	2	12	6	1	2		4
002849H	8.70m	2	6	16	2	2	2	12	6	1	2		4
002850H	9.70m		8	16	2	2	2	14	8	1	2		4
002851H	10.70m	2	8	20	2	2	2	14	8	1	2	4	4
002852H	11.70m		10	20	3	2	2	18	10	1	2	4	4
002853H	12.70m	2	10	24	3	2	2	18	10	1	2	4	4
002854H	13.70m		12	24	3	2	2	20	12	1	2	4	4
002855H	14,70m	2	12	28	3	2	2	20	12	1	2	4	4

TECHNICAL DETAILS SCAFF 1400

Working Height	3.50m à 14.70m
Platform Height	1.50m à 12.70m
Area of working platform	1.40m x 2.60m
Permissible live load	200 kg/m ²
Classification and Standard	Scaffold class 3 / DIN 4422













PRICELIST SCAFF 1400

Working Height	Weight (kg)	No. Article	Price
3.50m	116.00 kg	002856H	1501.80-€
4.50m	163.00 kg	002857H	2014.40-€
5.50m	182.00 kg	002858H	2393.60-€
6.50m	200.00 kg	002859H	2626.60-€
7.50m	233.00 kg	002860H	3370.20-€
8.50m	327.00 kg	002861H	3603.20-€
9.50m	350.00 kg	002862H	4315.40-€
10.50m	363.00 kg	002863H	4548.40-€
11.50m	383.00 kg	002864H	5488.00-€
12.50m	415.00 kg	002865H	5936.00-€
13.50m	458.00 kg	002866H	6315.20-€
14.50m	471.00 kg	002867H	6548.20-€













COMPOSITION DU SCAFF 1400

No. Article	Work. height	Farme 1.00m	Farme 2.00m	Clip	Plat. With hatch	Plat. Without hatch	Toeboard 2.60m	Toeboard 1.40m	Guard-rail 2.60m	Diag. 3.10m	Diag. 2.90m	Steel base	Tele. arm	Swivel castor
002856H	3.50m		2		1	1			4	2	1			4
002857H	4.50m	2	2	4	1	1	2	2	6	2	1			4
002858H	5.50m		4	4	1	1	2	2	8	4	1			4
002859H	6.50m	2	4	8	1	1	2	2	8	4	1			4
002860H	7.50m		6	8	2	1	2	2	13	6	1			4
002861H	8,50m	2	6	12	2	1	2	2	13	6	1			4
002862H	9.70m		8	16	2	1	2	2	15	8	1	2		4
002863H	10.70m	2	8	20	2	1	2	2	15	8	1	2		4
002864H	11.70m		10	20	2	1	2	2	20	10	1	2	4	4
002865H	12.70m	2	10	24	3	1	2	2	20	10	1	2	4	4
002866H	13,70m		12	24	3	1	2	2	22	12	1	2	4	4
002867H	14,70m	2	12	28	3	1	2	2	22	12	1	2	4	4

SPARE PARTS SCAFF 800 & 1400

	Designation	Length	Width	No. Article	Price
	Alu frame 1000x800	1.00m	0.80m	002582H	79.00-€
	Alu frame 500x800	0.50m	0.80m	002581H	49.50-€
	Alu frame 1500x800	1.50m	0.80m	002827H	109.00-€
	Alu frame 2000x800	2.00m	0.80m	002583H	139.00-€
	Alu frame 1000x1400	1.00m	1.40m	002584H	113.00-€
	Alu frame 1500x1400	1.50m	1.40m	002828H	159.00-€
	Alu frame 2000x1400	2.00m	1.40m	002885H	198.50-€
	Clip	0.07m	0.05m	002604H	1.75-€
	Platform	1.80m	0.60m	002613H	179.00-€
	with hatch	2.60m	0.60m	002586H	215.00-€
	Platform without hatch	2.60m	0.60m	002605H	198.00-€
	Aluminium toeboard	1.80m	0.15m	000593H	39.50-€
		2.60m	0.15m	002587H	54.00-€
	Aluminium toebard	0.80m	0.15m	002588H	28.00-€
		1.40m	0.15m	002589H	36.00-€
	Aluminium guard-rail	1.80m		002616H	47.80-€
		2.60m		002590H	49.80-€
	Alu-Diagonal (vertical)	3.10m		002591H	54.30-€

SPARE PARTS SCAFF 800 & 1400

	Designation	Length	Width	No. Article	Price
	Alu-Diagonal	2.70m		002592H	53.90-€
	800 (horizontal)				
	Alu-Diagonal	2.90m		002593H	56.00-€
	1400 (horizontal)				
	Double guard-rail	1.80m	0.50m	002614H	140.00-€
		2.60m	0.50m	002603H	172.00-€
	Swivel castor 3,0	D : 150mm	Nylon	00393H	65.80-€
	Swivel castor 10,0	D : 200mm	Nylon	00390H	82.00-€
	Steel base	1.20m		002610H	143.00-€
		1.80m		002524H	163.00-€
	Universal Steel base	2.00m		002596H	191.00-€
	Telescopic arm	1.10m		002525H	73.25-€
	Fixing base-plate	0.60m		00358	18.50-€
	Pin for telescopic arm	0.125m		002757H	11.00-€
	Stabiliser			002601H	154.00-€
	Counterweight 15 kg	0.40m		002837H	26.20-€
	Aluminium ladder	2.10m		002598H	126.00-€
		3.10m		002599H	165.00-€
		4.10m		002600H	189.00-€